

RRAB VARIABLES and METALLICITY

Z.Kadla¹

Main Astronomical Observatory of the Russian Academy of Sciences at Pulkovo,
196140 Saint-Petersburg, Russia

Abstract.

A preliminary analysis of the *UBV* light curves of *RRAB* variables revealed that they contain information on the metallicities of these stars. The computed parameters which correlate with metallicity are given in the tables for 99 *RRAB* stars including 12 variables without previously determined metallicities.

Keywords: *RR Lyr* variables; metallicity

1. Introduction

Suntzeff, Kraft and Kinman (1994, SKK) determined the metallicity of 84 bright *RRAB* stars from spectra taken at the Lick Observatory. The $[Fe/H]_{SKK}$ values are on the Zinn and West (1994) scale. Blanco (1992) reduced Preston's ΔS values determined by various authors to a uniform system. The resulting ΔS for each variable is given in table 1 of the paper. The reliable values are marked by an asterisk. Layden (1994,L) observed the spectra of 302 *RRAB* stars. The derived abundances $[Fe/H]_L$ were calibrated to the Zinn and West metallicity scale (1994). Jurcsik and Kovacs (1996) used the data of the three above investigations for a Fourier analysis of *V* light curves of *RRAB Lyrae* stars. They found a period-phase-metallicity linear relation which is given in their paper.

2. Photometric Data

Light curves and *UBV* data in dependence on phase (phase interval $ph = 0.02$) for *RR Lyrae* stars are given in the catalogue "The Mean Light and Colour ($B - V$) and ($U - B$) Curves of 210 Field *RR Lyrae* Type Stars" compiled by N. Nikolov, N. Buchantsova and M. Frolov (1984, NBF). The authors reduced available photometric observations of *RR*

Send offprint requests to: Z.Kadla, The Main Astronomical Observatory of the Russian Academy of Sciences at Pulkovo, Saint-Petersburg, Russia. email: kadla@gao.spb.ru

Lyrae variables to a uniform system, the *UBV* observations of Fitch et al (1966) being used as standards.

3. Analysis

In the list compiled by Blanco (1992) data are given for 99 NBF variables 62 of which have reliable determinations. For ten of these stars $|[Fe/H]_L - [Fe/H]_{LS}| > 0.3$. The following dependence calculated for the remaining 52 was used for determining $[Fe/H]_{LS}$ (r - correlation coefficient):

$$[Fe/H]_{LS} = -0.291 - 0.178\Delta S; r=0.97.$$

In SKK metallicities are given for 69 NBF variables. The NBF *UBV* photometric data were analysed in a search for a possible correlation with metallicity $[Fe/H]_L$ using the equations:

$$V = a_{vu} + b_{vu}U; (VU); U = a_{uv} + b_{uv}V; (UV);$$

$$B = a_{bu} + b_{bu}U; (BU); U = a_{ub} + b_{ub}B; (UB).$$

The V and U and also B and U relations for the *RRAB* star RR Cet are shown in fig. 1.




Fig. 1. RR Cet. The V and U ($\circ$) and the B and U ($\bullet$) relations.

The differences $([Fe/H]_L - [Fe/H]_{LVU})$, $([Fe/H]_L - [Fe/H]_{LUV})$, $([Fe/H]_L - [Fe/H]_{LBU})$ and $([Fe/H]_L - [Fe/H]_{LUB})$ were obtained for 29 NFB variables with the number of measured phase intervals $nph > 45$.

The following relations were used in the final solution ($n=29$):

$$[Fe/H]_{LVU} = 8.652 - 12.396b_{VU}; r=-0.97;$$

$$[Fe/H]_{LUV} = -11.118 + 7.946b_{UV}; r= 0.97;$$

$$[Fe/H]_{LBU} = 13.335 - 13.686b_{BU}; r=-0.96;$$

$$[Fe/H]_{LUB} = -15.334 + 15.071b_{UB}; r= 0.96.$$

In the three accompanying tables the calculated metallicities $[Fe/H]_{UBV} = [Fe/H]_{LUBV} = ([Fe/H]_{LUV} + [Fe/H]_{LVU} + [Fe/H]_{LBU} + [Fe/H]_{LUB})/4$ are given for 95 *RRAB* stars. Altogether 21 including 11 without previous determinations, were not measured by Layden (1994) (table 2).

The comparison of $[Fe/H]_L$ and $[Fe/H]_{UBV}$ values for 77 stars of table 1

$$[Fe/H]_{UBV} = 0.010 + 0.971[Fe/H]_L; r=0.96;$$

is illustrated by fig.2.




Fig. 2. The comparison of the metallicity values $[Fe/H]_L$ and $[Fe/H]_{UBV}$.

Among the stars with sufficient data there are 8 with $nph > 45$ (table 3) the metallicities of which differ from those determined by spectral analysis. In the tables data for period and V , B and U amplitudes are taken from NBF.

References

- Blanco, V. 1992, *Astron. J.* 104,734.
 Fitch, W. and Wisniewski, W. and Johnson, H., 1996, *Arizona Comm.* 5, 71, part 2,3
 Jurcsik, J. and Kovacs, G., 1996, *Astron.& Astrophys.* 312, 311.
 Layden, A.C. 1994, *Astron. J.* 108, 1016
 Nikolov, N. and Buchantsova, N. and Frolov, M. 1984, *Sofia.(NBF)*
 Suntseff, N. and Kraft, R. and Kinman, T.,1994, *Astrophys. J. Suppl.* 93, 271.
 Zinn, R. and West, M.J., 1984, *Astrophys. J. Suppl.* 55, 45.

Table 1.

Var	nph	Per	A_V	A_B	A_U	$[Fe/H]_L$	$[Fe/H]_{UBV}$	$[Fe/H]_{SKK}$	$[Fe/H]_{LS}$
SW And	26	0.442	0.93	1.26	1.38	-0.38	-0.16	-0.41	-0.22
WY Ant	38	0.574	0.91	1.21	1.38	-1.66	-1.76		
SW Aqr	22	0.459	1.24	1.57	1.74	-1.24	-1.32	-1.42	-1.38
TZ Aqr	50	0.571	0.80	1.07	1.20	-1.24	-1.48		
BO Aqr	49	0.694	1.04	1.36	1.52	-1.80	-1.72		
CP Aqr	50	0.463	1.26	1.64	1.75	-0.90	-0.92	-0.77	
DN Aqr	50	0.634	0.78	1.02	1.14	-1.63	-1.80		
AA Aql	50	0.362	1.28	1.70	1.84	-0.58	-0.67	-0.63	-0.31
V341 Aql	50	0.578	1.21	1.56	1.68	-1.37	-1.45	-1.15	-1.11
SW Boo	19	0.514	1.08	1.40	1.58	-1.12	-1.13		
RW Cnc	23	0.547	0.63	0.88	0.99	-1.52	-1.21		
SS Cnc	17	0.367	1.18	1.63	1.75	-0.07	0.12	-0.56	-0.61
W CVn	38	0.552	0.81	1.11	1.24	-1.21	-0.96	-1.17	-1.36
RR CVn	19	0.559	0.93	1.27	1.47	-1.08	-1.12		
RX CVn	13	0.540	0.75	0.99	1.10	-1.31	-1.52		
RZ CVn	25	0.567	0.89	1.20	1.40	-1.92	-1.92	-1.81	-1.04
IU Car	49	0.737	0.95	1.23	1.39	-1.85	-1.75		
V499 Cen	50	0.521	1.17	1.53	1.68	-1.56	-1.76		
RR Cet	50	0.553	0.89	1.18	1.32	-1.52	-1.40	-1.55	-1.41
RX Cet	29	0.574	0.76	1.01	1.14	-1.46	-1.27		
V413 Cra	50	0.589	0.67	0.90	1.00	-1.21	-1.18		
W Crt	50	0.412	1.26	1.66	1.78	-0.50	-0.80	-1.10	-1.00
X Crt	50	0.733	0.61	0.81	0.92	-1.75	-1.71		
XZ Cyg	28	0.467	0.96	1.28	1.43	-1.52	-1.28	-1.39	-1.39
DM Cyg	19	0.426	0.95	1.37	1.48	-0.14	-0.23	-0.57	-0.59
DX Del	50	0.473	0.70	0.97	1.04	-0.56	-0.31	-0.50	-0.49
SU Dra	20	0.660	0.98	1.29	1.43	-1.74	-1.58	-1.79	-1.96
SW Dra	16	0.570	0.92	1.21	1.37	-1.24	-1.39	-1.21	-0.91
RX Eri	35	0.587	0.84	1.15	1.29	-1.30	-1.27	-1.43	-1.98
SV Eri	43	0.714	0.59	0.80	0.92	-2.04	-2.08	-1.70	-1.84
BB Eri	39	0.570	0.84	1.12	1.27	-1.51	-1.51	-1.41	-1.64
RX For	38	0.597	1.22	1.61	1.77	-1.26	-1.10		
SS For	50	0.495	1.14	1.50	1.65	-1.35	-1.37		
RR Gem	39	0.397	1.18	1.60	1.68	-0.35	-0.25	-0.55	-0.58
SZ Gem	13	0.501	1.20	1.50	1.62	-1.81	-1.64		
RW Gru	45	0.550	1.06	1.41	1.56	-2.00	-1.93		
SV Hya	50	0.479	1.23	1.58	1.73	-1.70	-1.67		
SZ Hya	23	0.537	1.24	1.60	1.67	-0.78	-0.49		
WZ Hya	16	0.538	0.95	1.25	1.37	-1.30	-1.31		
DG Hya	16	0.430	0.98	1.28	1.40	-1.42	-1.38		
FY Hya	50	0.637	1.04	1.34	1.57	-2.33	-2.25		
V Ind	24	0.480	1.22	1.57	1.74	-1.50	-1.46		
SS Leo	48	0.626	1.12	1.44	1.59	-1.83	-1.68	-1.73	-1.73

Table 2.

Var	nph	Per	A_V	A_B	A_U	$[Fe/H]_L$	$[Fe/H]_{UBV}$	$[Fe/H]_{SKK}$	$[Fe/H]_{LS}$
AT And	14	0.617	0.48	0.64	0.69	-0.81	-1.19	-1.06	
S Ara	50	0.452	1.26	1.62	1.75	-1.41		-0.83	
RU Boo	19	0.493	1.10	1.51	1.85	-1.49			
AA CMi	11	0.476	0.98	1.34	1.44	-0.30			
UU Cet	47	0.606	0.65	0.86	0.99	-1.35	-1.88	-1.04	
Z Com	17	0.547	1.11	1.48	1.69	-1.52			
UY Cyg	27	0.561	0.83	1.11	1.22	-0.93	-0.95	-0.86	
VX Her	50	0.455	1.29	1.63	1.76	-1.44	-1.37	-1.52	
AR Her	22	0.470	0.92	1.15	1.27	-1.83		-1.41	
CZ Lac	18	0.432	0.46	8.87	1.11		-0.54	-0.52	
TT Lyn	23	0.597	0.69	0.93	1.01	-0.98	-1.84	-1.54	
FN Lyr	27	0.527	1.25	1.61	1.94	-1.52			
RV Phe	48	0.596	0.79	1.05	1.25	-1.36			
XX Pup	20	0.517	1.23	1.56	1.71	-1.40			
V675 Zgr	48	0.642	0.92	1.21	1.37	-1.92			
V494 Sco	50	0.427	0.97	1.27	1.43	-1.67			
V690 Sco	50	0.492	1.08	1.43	1.55	-0.86			
AM TUc	50	0.406	0.44	0.58	0.69	-2.54			
AF Vel	50	0.527	0.91	1.23	1.36	-1.54			
BB Vir	15	0.471	0.68	0.82	0.89			-1.57	
BN Vul	15	0.594	0.57	0.71	0.78		-1.61	-1.53	

Table 3.

Var	nph	Per	A_V	A_B	A_U	$[Fe/H]_L$	$[Fe/H]_{UBV}$	$[Fe/H]_{SKK}$	$[Fe/H]_{LS}$
TY Aps	50	0.502	1.01	1.30	1.48	-1.21	-1.73		
BR Aqr	50	0.482	1.13	1.48	1.55	-0.84	-1.30		-0.88
UY Boo	50	0.651	1.10	1.42	1.60	-2.49	-2.12	-2.40	-2.53
RZ Cet	50	0.510	0.93	1.22	1.38	-1.50	-1.90	-1.47	-1.34
ST Leo	48	0.478	1.24	1.62	1.75	-1.29	-1.69		-1.29
TV Leo	49	0.673	1.14	1.47	1.63	-1.97	-1.47	-2.07	-2.12
RY Psc	50	0.530	0.79	1.04	1.20	-1.39	-2.26	-1.52	-1.77
AT Ser	50	0.745	0.87	1.14	1.26	-2.05	-1.55	-1.93	-2.00